	PHOTOGRAPH THIS	SHEET
*	27.7.2.00	ey /
314	LEVEL	INVENTORY
NOISS		بم ابد م
V220 314	SC5441.QTR TX DOCUMENT IDENTIFICATION DEC 1987	<u> </u>
	D-C /78/	
AD-A220		
	DISTRIBUT	ION STATEMENT
ACCESSION FOR NTIS GRAMI	- -	, , , , , ,
DTIC TRAC UNANNOUNCED DISTIFICATION	INA/	
AD-AZ11154		
BY		
DISTRIBUTION/ AVAILABILITY CODES		·
DISTRIBUTION AVAILABILITY AND/OR S	PECIAL	DATE ACCESSIONED
		z.ne ne essono. es
4-1	A. Walasian	
DISTRIBUTION STAMP		
		DATE RETURNED
نو یا جرب	¥/ .	
DATI	E RECEIVED IN DTIC	REGISTERED OR CERTIFIED NUMBER
	PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-FI	DAC
DTIC APRIET 70A	DOCUMENT PROCESSING SHEET	PREVIOUS EDITIONS MAY BE USED UNTIL STOCK IS EXHAUSTED

Rockwell International
Science Center

DECEMBER 1987

SC5441.QTR

GROWTH OF TUNGSTEN BRONZE FAMILY CRYSTALS —

QUARTERLY TECHNICAL REPORT NO. 8

For Period 06/01/87 through 08/31/87

5 6 87 - 8 87 : 12 97

VISORY GROUP

JAN 15 1988
ON ELECTRON DEVICES

DARPA ORDER NO.:
NAME OF CONTRACTOR:
EFFECTIVE DATE OF CONTRACT:
CONTRACT EXPIRATION DATE:
AMOUNT OF CONTRACT DOLLARS:
CONTRACT NO.:

PRINCIPAL INVESTIGATOR:

4540
Rockwell International Corp. 05/02/85

01/30/88 \$1,245,307 NOOO14-85-C

NOOO14-85-C-2443 Dr. R. R. Neurgaonkar

(805) 373-4109

Professor L. E. Cross Pennsylvania State University (814) 865-1181


This report covers TI number (s)

Tachnical Information

Sponsored By:

DEFENSE ADVANCED RESEARCH PROJECTS AGENCY (DoD)
DARPA ORDER NO. 4540

3 NODO14-85-C-2443




A. OBJECTIVE

The objective of this work is to develop suitable quality and size doped and undoped $\mathrm{Sr_{1-x}Ba_xNb_2O_6}$ (SBN) single crystals or thin films that can be used in optical device studies. The second objective of this work is to develop a phenomenological model to explain the correlation between the ferroelectric and optical properties and thereby possibly control and optimize the material performance for optical device applications.

B. PROGRESS

During the present quarter, several Ce-doped tungsten bronze SBN:60, SBN:75 and BSKNN-2 single crystals were grown and characterized. The quality and size of these crystals were excellent, allowing measurements to be made with regard to photorefractive gain coefficient (coupling constant) fanning response and spectral response with respect to the location and concentration of Ce in the structure. photorefractive performance of these crystals was excellent in general, with SBN:60 showing the strongest photorefractive gain exceeding 45 cm^{-1} . This is the highest gain reported for any photorefractive crystal, exceeding the prior best gain of 35 cm⁻¹ measured in perovskite BaTiO₃. Such a large gain coefficient will permit higher resolution for optical computing and also benefits laser hardening applications. Currently, we are attempting to further increase the gain in this material by optimizing the Ce^{3+}




concentration in the melt, as well as improving crystal quality further.

During the next quarter, we will expand the growth of undoped SBN:60 and SBN:75 single crystals for optical waveguides and switching applications. Over the last three months we concentrated our effort on Ce-doped tungsten bronze crystals of SBN:60, SBN:75 and BSKNN-2 compositions. Now we intend to grow both (100) and (001)-oriented SBN:60 and SBN:75 undoped single crystals for optical waveguide applications. The current results show that SBN:60 crystal quality is sufficient for these applications; however, continuous efforts are being made to improve the performance of this crystal as well as other bronze crystals.

In order to extend the spectral response of tungsten bronze crystals to the near IR region, we have introduced Cr^{3+} in the 6-fold coordinated Nb^{5+} site. Since Cr^{3+} has a size similar to Nb^{5+} , small additions of Cr^{3+} (0.1 wt%) did not alter the bronze structure or growth conditions. The growth of small crystals has been successful and it appears that the crystals are free of striations. Further efforts are under way to increase size of these crystals so we can perform ferroelectric and optical measurements.

We have successfully grown ferroelectric tungsten bronze $\mathrm{Sr_2KNb_5O_{15}}$ thin films by the liquid phase epitaxial (LPE) technique on (100), (110) and (001)-oriented SBN:60 substrates. Since the quality of these films is much better than SBN:50 films grown on the same substrate, we are



investigating optical applications for these films, specifically guided wave optics, and according to these results, the necessary modifications in composition or growth conditions will be made.

C. MAJOR EQUIPMENT

We have purchased a cryogenic system for the characterization of these materials below 77 K.

D. CHANGE IN PERSONNEL

Jeff Nelson has joined the Ferroelectric Materials

Department and will be responsible for the development of

LPE thin films.

E. TRIPS AND VISITS


In August 1987, Dr. R. R. Neurgaonkar met Professor Amnon Yariv of Caltech and had discussions with him on future work.

In July and August 1987, Dr. R. R. Neurgaonkar met Drs. Dick Reynolds and John Neff of DARPA and gave a briefing on the current status of this program and outlined future work.

In July 1987, Professor L. E. Cross of Penn State
University visited Rockwell for discussions on the DARPA
contract and future work was planned.

F. PUBLICATIONS AND PRESENTATIONS

1. R. R. Neurgaonkar and E. T. Wu, "Epitaxial Growth of Ferroelectric Tungsten Bronze $Sr_{1-x}Ba_xNb_2O_6$ Films for




Optoelectronic Applications, Mat. Res. Bull. 22 (8), 1095 (1987).

- 2. R. R. Neurgaonkar, J. R. Oliver and L. E. Cross, "Epitaxial Growth of Ferroelectric Tungsten Bronze SKN Thin Films," submitted to Mat. Res. Buill.
- 3. G. L. Wood, W. W. Clark III, M. J. Miller, E. J. Sharp, G. J. Salamo and R. R. Neurgaonkar, "Broadband Photorefractive Properties and Self-Pumped Phase Conjugation in Ce-doped SBN:60," IEEE J. Quant. Electron. 23 (12), 2126 (1987).
- 4. S. Ducharme, J. Feinberg and R. R. Neurgaonkar, "Electro-Optic and Piezoelectric Measurements in Photorefractive BaTiO₃ and SBN," IEEE J. Quant. Electron. 23 (12), 2116 (1987).
- 5. R. R. Neurgaonkar, W. K. Cory, J. R. Oliver, M. J. Miller, W. W. Clark III, G. L. Wood and E. J. Sharp, "Growth of Ferroelectric Tungsten Bronze

 Ba2-xSrxK1-yNayNb5O15 Composition Crystals," J. Cryst. Growth 84, 629 (1987).
- 6. R. R. Neurgaonkar, W. K. Cory, J. R. Oliver and L. E. Cross, "Ferroelectric Properties of La³⁺-Modified Sr_{0.6}Ba_{0.4}Nb₂O₆ Single Crystals," submitted to J. Cryst. Growth.

G. FUTURE WORK

Continue to establish the optimum cerium concentration in the 12- and 9-fold coordinated sites needed to improve the photorefractive response. The efforts will be



extended to grow cptical quality crystals of La³⁺-doped SBN:60 or SBN:75 compositions for pyroelectric detector and optical applications. Continue to improve the LPE technique to include different types of bronze compositions.

H. FUNDING

Contract Estimated Cost	\$1,155,549
Fixed Fee	\$ 89,758
Total Estimated Contract Price	\$1,245,307
Current Contract Funding	\$1,245,307
Less Fee	\$ 89,758
Available Cost	\$1,155,549
Expenditure through 08/28/87 (Cost) Balance of Available Funds (Cost)	

^{*} Including \$11,898 outstanding commitments